The particulars of debt alleged in the petition to be due to you are as detailed below:
Given under my hand and the seal of the Court this 30th day of January 1937.

Particulars of debts.

1. Rs. 961-14-0 due to 1st opponent as per decree in O.S. 65—31-32, on the file of this Court.
2. Rs. 136 due to 2nd opponent as per a Pronote.

C. B. SRINIVASA RAO,
Munsiff.

THE BANK OF MYSORE, LIMITED, BANGALORE.

Statement of the affairs of the Bank of Mysore, Limited, for the week ending 28th January 1937, published under Article 141 of the Articles of Association.

LIABILITIES	Rs.	ASSETS	Rs.
To Capital Receipts	20,00,000	By Cash in hand and at Bankers ..	32,00,262
„ Reserve Fund	24,25,000	„ Loans and Cash Credit Accounts	1,59,61,966
„ Public and other Deposits	2,37,90,354	„ Bills discounted	4,41,225
„ Sundries	3,98,488	„ Investments	82,09,060
		„ Balance at Agencies	..
		„ Dead Stock	7,27,933
		„ Sundries	73,396
Total ..	2,86,13,842	Total ..	2,86,13,842

(Annas and pies omitted.)

BANGALORE,
Dated 1st February 1937.

T. M. S. SUBRAMANIAM,
Ag. *Manager.*

"I intend moving the High Court of Mysore for enrolment as an Advocate thereof."
WILFRED D'SOUZA, B.A., LL.B.

OFFICE OF THE SENIOR SURGEON IN MYSORE, BANGALORE.

Notification No. C—1706-2, dated 28th January 1937.

The name of Miss S. Mathai, Lady Sub-Assistant Surgeon in charge of the Female Dispensary, Tirthahalli, changed to "Mrs. S. J. Kuruvilla."

S. SUBBA RAO,
Senior Surgeon.

GOVERNMENT OF MYSORE, STORES PURCHASE COMMITTEE, BANGALORE.

No. S. P. C. 13913-23, *dated 29th January* 1937.

To

The Firms dealing in Electric Lamps.

Enquiry No. 2124.

TUBULAR ELECTRIC BULBS FOR BRINDAVAN LIGHTING.

GENTLEMEN,

I write to request you to quote your best price and earliest time of delivery for the following materials.

Tubular Electric Bulbs, 230 volts, 60 watts, or 230 volts, 50 watts, length of tube 19½ inches, dia. 1.⅜", shape round uniformly throughout the length. Two single contact caps on sides at ends distance between cap to cap 17½ inches (Centre to Centre). shape of cap oval 1"×½"×¾" with depression on the side of cap for catch screw.
Colour, natural green 12 tubes.
.. Do blue 12 „
Do Red 12 „

Full and detailed specifications of the Bulbs offered by you should be furnished in your letter.

[redacted] for delivery f.o.r. Belagola, Mysore Railways.

As the materials are required urgently the earliest time within which the supply could be effected should be clearly indicated in your tender and the same should be strictly adhered to in the event of an order.

This enquiry will close on the 25th February 1937.

No. S. P. C. 13926-31, *dated 1st February* 1937.

To

The Firms dealing in Pressure Filters.

Enquiry No. 2125.

PRESSURE FILTERS FOR CHITALDRUG WATER WORKS.

DEAR SIR/GENTLEMEN,

Please be good enough to intimate your best prices f.o.r., Chitaldrug and the earliest time of delivery for the materials described in the schedule shown below.

It should be distinctly understood that the acceptance by us of your quotation will be subject to the following conditions:—

Withdrawal from the quotation after it is accepted or failure to make the supply within the specified time or according to specifications will entail cancellations of the order and purchases being made at your expense from other sources in addition to the levy of a penalty of 3 per cent of the value of the order as and by way of liquidated damages. In such an event, the Stores Purchase Committee reserve the right to remove your name from the list of approved firms.

The quotations should be superscribed "Quotations for Pressure Filters for Chitaldrug Water Works", together with the above Enquiry Number.

This enquiry will be closed on the 20th February 1937.

Schedule.

Item No.	Description of material offered	Quantity	Price quoted f.o.r. Chitaldrug
1	Pressure Filters capable of filtering 3000 gallons an hour each with all accessories, such as inlet, outlet and scour valves and wash valves, etc., complete, of the following specification excepting the actual filtering materials *viz.*, gravel, sand, etc.	Two	
	Pressure Filters should be of the following specifications:—		
	(1) The filter should be equipped with suitable pressure guage and wash indicators and the connections to the same should be chromium plated. Necessary pet cocks for taking sample water, etc., should also be provided for	..	
	(2) The filter should be provided with Alum tank and Venturi tube and other accessories for alum treatment and should be provided with a dosage regulation	..	
	(3) The head lost in filteration of fairly clear water obtained from irrigation tanks should be specified	..	
	(4) The filters should be capable of being directly connected on to a pump having a discharge of about 6,000 gls. an hour against a head of 120' and the filter should stand this head. It is desirable to have sectional wash arrangements provided for the filters	..	
	(5) The correct size of the gravel and sand to be used should be specified and if possible samples of the same should be sent with the filter		

No. S. P. C. 13932-44, *Bangalore dated 30th January* 1937.

To

The Firms dealing in Pressed Steel Tank.

Enquiry No. 2126.

PRESSED STEEL TANK REQUIRED FOR CHITALDRUG WATER WORKS.

GENTLEMEN,

Please be good enough to intimate your best prices for delivery f.o.r., Chitaldrug and the earliest time of delivery for one pressed steel tank (16′×12′×8′) of 9600 gallons capacity of the following specification:—

The tank should consist of steel plates each 4 feet square, the thickness of the bottom and the lower half of the side plates being ¼″ and upper half of the side plates being 3/16″. The tank should be provided with ⅛″ thick mild steel plate covering supported on angle iron rafters with necessary slope and with a manhole of about 21″ diameter. A dust proof manhole cover with necessary locking arrangements should also be provided for. The tank should have suitable stays inside it, to counteract the hydraulic thrust on sides. A steel ladder to get into the tank through the manhole should be included with necessary fixtures.

A suitable level indicator consisting of pulleys, float and pointers, etc., complete, should be provided for with necessary gauge board. Sufficient quantity of jointing materials, bolts, nuts, washers, etc., should be sent to enable the erection of the same at site.

The tank should be painted with a coat of Red-oxide before despatch.

It is proposed to erect the tank on masonry pillars about 6′ above ground level. The required sizes and number of longitudinal beams and iron girders should also be provided for in the quotation.

It should be distinctly understood that the acceptance by us of your quotation will be subject to the following conditions:—

Withdrawal from the quotation after it is accepted or failure to make the supply within the specified time or according to specifications will entail cancellation of the order and purchases being made at your expense from other sources in addition to the levy of a penalty of 3 per cent of value of the order as and by way of liquidated damages. In such an event, the Stores Purchase Committee reserve the right to remove your name from the list of approved firms.

The quotations should be superscribed "Quotations for Pressed Steel Tank required for Chitaldrug Water Works" with the above enquiry Number.

This enquiry will be closed on the 15th February 1937.

No. S. P. C. 14063-74, *dated Bangalore, 29th January* 1937.

To

The Firms dealing in Electric Lamps.

Enquiry No. 2129.

FAIRYLAND LAMPS FOR THE MYSORE PALACE.

GENTLEMEN,

I write to request you to quote your best price for the following materials:—

10,000 lamps, vacuum type, 220 volts, 20 watts, fairyland, medium screw base, with high-heat compound composition collar and rubber gasket, suitable for fixing on fairyland base as shown on our Drawing No. G. 185.

The lamps to be supplied should conform to B.E.S.A. specifications and should be guaranteed for an average life of 1,000 burning hours. In the event of your tender being accepted, factory test certificates on representative samples of lamps should be furnished along with the supply.

The materials are required at Mysore before the end of May 1937 at the latest. Tendering firms should be prepared to complete the supply of the lamps by the above date. In the event of delay, the Stores Purchase Committee reserve the right to levy the penalty of 3 per cent of the value of the order as and by way of liquidated damages.

The price to be quoted should be for delivery f.o.r., Mysore, which should be exclusive of customs duty, as the materials are required for the use of the Mysore Palace and are therefore exempt from duty.

This enquiry will close on the 25th February 1937.

No. S. P. C. 14076-95, *dated 29th January* 1937.

To

The Firms dealing in Oil Engine Pumping Sets.

Enquiry No. 2130.

OIL ENGINE PUMPING SET FOR CHITALDRUG WATER WORKS.

GENTLEMEN,

Please be good enough to intimate your best prices for delivery f.o.r., Chitaldrug and the earliest time of delivery for the pumping set described below :*

It should be distinctly understood that the acceptance by us of your quotation will be subject to the following conditions :—

Withdrawal from the quotation after it is accepted or failure to make the supply within the specified time or according to specifications will entail cancellation of the order and purchases being made at your expense from other sources in addition to the levy of a penalty of 3 per cent of the value of the order as and by way of liquidated damages. In such an event, the Stores Purchase Committee reserve the right to remove your name from the list of approved firms.

The quotations should be superscribed " Quotations for Oil Engine Pumping Set for Chitaldrug Water Works, with the above enquiry number.

This enquiry will be closed on the 25th February 1937.

ONE OIL ENGINE PUMPING SET.

**Specification for Oil Engine Pumping Set for Chitaldrug Water Works.*

Pump —The centrifugal pump required for Chitaldrug water supply should have a capacity giving a discharge of 100 gallons per minute against a total head of 100' from all causes. It must be provided with fast and loose pulleys of suitable diameter so as to give the correct speed when driven by the driving pulley fixed on the crank shaft of the engine.

The pump casing should be made of close grained cast iron preferably having split casing. The shaft should be of the best Siemen's Martin steel fitted with Phospher bronze impellers and guide-vanes and renewable neck rings and bushes and the pump shaft running on ball or roller bearings. It should be provided with priming funnel, test locks, pressure and vacuum gauges.

The pump should also be provided with belt striking gear.

The whole pump should be mounted on a suitable C. I. bed plate provided with bolt holes for being fixed to foundation bolts which will have to be supplied by you.

The pump must be supplied with one delivery valve and one reflux valve.

Engine :—A suitable engine running on crude oil or diesel oil and preferably developing 8 B.H.P. to drive the above centrifugal pump is required. It must be provided with a driving pulley of the required size fitted on the crank shaft.

The engine must be supplied with all accessories connected with the starting of the engine, fuel, oil supply, cooling arrangements, etc.

A set of tools for dismantling the engine and a set of most important spare parts such as the nozzle and sprayer must be supplied with the engine.

No. S. P. C. 14194-206, *dated 30th January* 1937.

To

The Firms dealing in Hardware.

Enquiry No. 2131.

G. I. PIPES.

GENTLEMEN,

Please quote your best present prices f.o.r., Mysore, for G. I. Pipes of the undermentioned sizes :—

G. I. Pipes	2″	..	..	3,025 ft.
Do	1½″	..	..	800 „
Do	1″	..	..	17,300 „
Do	¾″	..	..	1,800 „

The names of the makers of the pipes offered should be specified in the quotation.

As the pipes are required for urgent works, you should definitely state when you would deliver the pipes at Mysore.

This enquiry will be closed on the 9th February 1937.

No. S. P. C. 14232-6, dated 1st February 1937.

To

The Firms dealing in Pantagraph.

Enquiry No. 2133.

PANTAGRAPH.

DEAR SIR/GENTLEMEN,

Please be good enough to intimate your best prices and the earliest time of delivery for the materials described in the form printed below.

It should be distinctly understood that the acceptance by us of your quotation will be subject to the following conditions:—

Withdrawal from the quotation after it is accepted or failure to make the supply within the specified time or according to specifications will entail cancellations of the order and purchases being made at your expense from other sources in addition to the levy of a penalty of 3 per cent of the value of the order as and by way of liquidated damages. In such an event, the Stores Purchase Committee reserve the right to remove your name from the list of approved firms.

The quotations should be superscribed "Quotations for Pantagraph" with the above enquiry Number.

This enquiry will be closed on the 15th February 1937.

Schedule.

Item Nos.	Description of material offered	Quantity	Price quoted F.O.R.	Time of delivery
	Brass Pantagraph, divided and engraved for enlarging or reducing plans, maps, etc., with interchangeable fulcrum, pencil weights, and lever for raising pencil in polished Mahogony case, 24 inches	One.	Mysore.	

N.B.—Pantagraph of different standard sizes, available in the market, may be quoted for.

No. S. P. C. 14237-44, dated 1st February 1937.

To

The Firms dealing in Blankets.

Enquiry No. 2137.

BLANKETS AND PUTTY CLOTHS.

DEAR SIR/GENTLEMEN,

Please be good enough to intimate your best prices and the earliest time of delivery for the materials described in the attached schedule, in the form printed overleaf.

It should be distinctly understood that the acceptance by us of your quotation will be subject to the following conditions:—

Withdrawal from the quotation after it is accepted or failure to make the supply within the specified time or according to specifications will entail cancellations of the order and purchases being made at your expense from other sources in addition to the levy of a penalty of 3 per cent of the value of the order as and by way of liquidated damages. In such an event, the Stores Purchase Committee reserve the right to remove your name from the list of approved firms.

The quotations should be superscribed "Quotations for Officers' Blankets and Putty Cloths required for the Military Stores, with the above enquiry Number."

Schedule.

Item No.	Description of material offered	Quantity	Price quoted F. O. R.	Time of delivery
1	Blankets, Military Officers', bound with lace Srilla	55 Nos.		
2	Putty material 4" wide, blue, woollen	1,500 yds.		
3	Braid cotton, blue to match the above putty cloth	500 yds.		

Samples of materials should be submitted with the quotation.

Yours faithfully,
T. RANGASWAMI,
Secretary,
Stores Purchase Committee.

COLLEGE OF ENGINEERING, BANGALORE.

Abstract Notification dated 1st February 1937.

The attention of the public is invited to the detailed notification published in page 123, Part VI of the *Mysore Gazette*, dated the 28th January 1937, calling for tenders for Workshop and Building materials required for the College.

Each tender must be accompanied by a deposit of Rs. 25 in cash as earnest money.

The last date for receiving tenders is 12th February 1937.

B. KRISHNASWAMY IYENGAR,
Principal.

NOTICE.

Chikballapur, dated 2nd February 1937.

Whereas the Joint Stock Company by name Sree Subrahmanneswaraswami Bank, Ltd., situated in Chikballapur, Kolar District have by a resolution, in the General Meeting, met on 31st January 1937, require that the company should be wound up. Notice of the same is herewith published for information of all persons concerned.

ರಾಮುನದ ವೆಂಕಟಾಚಲಯ್ಯ,
Liquidator, Sree Subrahmanneswaraswami Bank, Ltd.,
Chikballapur.